Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62,91

PLANT LIST 1932-1933

| Foreign Rock Plants | ARY |
|---|-------------|
| Acaena glauca * JAN 26 Aethionema coridifolium | 1903 |
| Aethionema coridifolium | .25 |
| Aethionema grandifloPupartment of | Balculture. |
| Aethionema pulchellum | 30 |
| Aethionema stylosum | .35 |
| Aethionema Warley hybrid | .35 |
| Alyssum idaeum | .35 |
| Alyssum saxatile | .20 .30 |
| Alyssum serpyllifolium Alyssum spinosum | .35 |
| Androsace brigantiaca | .40 |
| Androsace chumbyi | .30 |
| Androsace foliosa | .40 |
| | 1.00 |
| Androsace lanuginosa | .30 |
| Androsace lanuginosa Androsace leichtlini | .30 |
| Androsace primuloides | .35 |
| Androsace sarmentosa | .30 |
| Androsace sempervivoides | .50 |
| Androsace vitaliana | .30 |
| Anemone blanda atrocoerulea | .25 |
| Anemone halleri | .35 |
| Anemone sylvestris | .25 |
| Anemone vernalis | .35 |
| Anthemis acizoon | .25 .25 |
| Aquilegia alpina | .35 |
| Aquilegia flabellata Aquilegia jucunda | .35 |
| Armeria caespitosa | .40 |
| Arnica montana | .50 |
| Aster farreri | .30 |
| Astilbe simplicifolia | .50 |
| Astragalus monspessulanus | .30 |
| Bellis coerulescens | .20 |
| Campanula allioni | .75 |
| Campanula garganica | .20 |
| Campanula isophylla, blue | .35 |
| Campanula isophylla, white | .35 |
| Campanula istriaca | .50 |
| Campanula macrorrhiza | .40 |

| Campanula miranda | .25 |
|--|------|
| Campanula miranda alba | .25 |
| Campanula portenschlagiana | .25 |
| Campanula pusilla | .25 |
| Campanula pusilla alba | .30 |
| Campanula raddeana | .20 |
| Campanula spathulata | .50 |
| | .50 |
| Campanula stenocodon Campanula turbinata | .50 |
| Commelina coelestis | .46 |
| Delphinium tatsiense | .40 |
| Dianthus sp. (Ljuboten) | .35 |
| Dianthus neglectus | .35 |
| Draba aeizoon | .30 |
| Draba cuspidata | .30 |
| Draba pyrenaica | .75 |
| Erinus alpinus | .20 |
| Erodium chamaedryoides | 1.00 |
| Erodium petraeum | .50 |
| Epimedium sulphureum | .40 |
| Gentiana acaulis | .75 |
| Gentiana excisa | 1.00 |
| Gentiana farreri | .75 |
| Gentiana gentianella | .75 |
| Gentiana kurroo | .50 |
| Gentiana prolata | .75 |
| Gentiana purdomi | .75 |
| Gentiana sino-ornata | .35 |
| Gentiana sino-ornata, very dark | .35 |
| Geranium cinereum | .50 |
| Geranium lancastriense | .30 |
| Geranium pylzowianum | .40 |
| Geranium sanguineum | .25 |
| Geranium wallichianum | .30 |
| Haberlea ferdinandi-coburgi | 1.00 |
| Haberlea rhodopensis | .80 |
| Helianthemum tuberaria | .35 |
| Horminum pyrenaicum | .30 |
| Houstonia, Millard's variety | .50 |
| Hutchinsia alpina | .25 |
| Hypericum coris | .30 |
| Hypericum reptans | .40 |
| Inula ensifolia | .30 |
| Iris arenaria | .75 |
| Iris gracillipes | .75 |
| Iris tricuspis | .50 |
| Leontopodium alpinum | .25 |
| Lithospermum prostratum | .50 |
| Lychnis lagascae | .35 |
| Omphalodes cappadocica | .30 |
| - 1 | |

| Omphalodes verna | .35 |
|--|------|
| Ononis rotundifolia | .50 |
| Oxalis adenophylla | .50 |
| Papaver alpinum | .25 |
| Phyteuma scheuchzeri | .25 |
| • | .75 |
| Potentilla nitida | |
| Pratia angulata | 35 |
| Primula anisodora | .35 |
| Primula auricula alpina | .25 |
| Primula cashmiriana | .25 |
| Primula crispa | .35 |
| Primula farinosa | .35 |
| | .25 |
| Primula frondosa | |
| Primula glycosma | .35 |
| Primula helenae Primula juliae | .50 |
| Primula juliae | .35 |
| Primula littoniana | .60 |
| Primula marginata | .75 |
| Primula minima | 1.00 |
| Limina minima | .25 |
| Primula moerheimi | .43 |
| Primula mooreana | .35 |
| Primula nivalis | .75 |
| Primula pudibunda | .35 |
| Primula rosca | .40 |
| Primula spectabilis | .75 |
| Drinula voitabi | .35 |
| Primula veitchi Primula vincaeflora | |
| | 1.00 |
| Primula waltoni | .35 |
| Primula wilsoni | .35 |
| Primula wulfeniana | .75 |
| Prunella grandiflora | .20 |
| Ramodia nataliae | 1.00 |
| Ramondia pyrenaica | .80 |
| | .35 |
| Saxifraga acizoon Iabradorica | |
| Saxifraga acizoon lutea | .35 |
| Saxifraga acizoon notata | .35 |
| Saxifraga acizoon rosea | .35 |
| Saxifraga aeizoon rex | .50 |
| Saxifraga aeizoon rosularis | .35 |
| Saxifraga apiculata | .35 |
| Saxifraga apiculata alba | .30 |
| | |
| Saxifraga baldensis | .50 |
| Saxifraga boryi | .60 |
| Saxafraga burseriana magna | .75 |
| Saxafraga burseriana minor | 1.00 |
| Saxafraga burseriana sulphurea | .75 |
| Saxifraga cartilaginea | .25 |
| Saxifraga cholentiana | .50 |
| | |
| Saxifraga cochlearis | .25 |
| Saxifraga Dr. Ramsey | .50 |
| | |

| Saxifraga elizabethae | .35 |
|------------------------------|------|
| Saxifraga faldonside | 1.00 |
| Saxifraga ferdinandi-coburgi | .40 |
| Saxifraga gaudini | .35 |
| Saxifraga grisebachi | 1.25 |
| Saxifraga haagi | .50 |
| Saxifraga hosti | .50 |
| Saxifraga irvingi | 1.00 |
| Saxifraga juniperiana | .50 |
| Saxifraga lagaveana | .25 |
| Saxifraga lilacina | 1.25 |
| Saxifraga lingulata alberti | .35 |
| Saxifraga longifolia | .40 |
| Saxifraga marginata | .75 |
| Saxifraga media | 1.00 |
| Saxifraga obristi | .75 |
| Saxifraga oppositifolia | 1.00 |
| Saxifraga paulinae | 1.00 |
| Saxifraga pectinata | .35 |
| Saxifraga petraschi | 1.00 |
| Saxifraga sancta | .50 |
| Saxifraga scardica | ,75 |
| Saxifraga stanborgi | .35 |
| Saxifraga stenoglossa | .35 |
| Silene acaulis carminea | .50 |
| Silene pudibunda | .25 |
| Soldanella alpina | .35 |
| Statice minuta | .35 |
| Thlaspi rotundifolium | .50 |
| Thymus languginosus | .25 |
| Thymus serpyllum albus | .25 |
| Thymus serpyllum coccineus | .25 |
| Trollius pumilus | .40 |
| Veronica incana | .30 |
| Veronica rupestris | .30 |
| Vorenica rupestris rosea | .35 |
| Veronica saxatilis | .25 |
| | |
| Foreign Rock Shrubs | |
| 1 of orgin 12ock out and | |
| Azalea obtusa | .50 |
| Bruckenthalia spiculifolia | .75 |
| Calluna vulgaris nana | .50 |
| Chamaecyparis minima glauca | 2.00 |
| Chamaecyparis nana | .75 |
| Chamaecyparis obtusa | 2.50 |
| lycopodioides | 2.50 |
| Cistus laurifolius | .50 |
| Cistus salvifolius | .50 |



| Cistus villosus | .50 |
|---|------------|
| Cotoneaster sp.? Jap. prostrate | .75 |
| Cotoneaster dammeri | .50 |
| Cotoneaster microphylla glacialis | .75 |
| Cotoneaster rotundifolia | |
| prostrata | .75 |
| Cytisus ardoini | .75 |
| Cytisus decumbens | .50 |
| Cytique kayyancie | .75 |
| Cytisus kewensis Cytisus schipkaense | .75 |
| Cytisus schipkaense | |
| Cryptomeria japonica nana | .60 |
| Daphne cneorum | .50 |
| Daphne mezereum .35—1 | |
| Dryas sundermani | .35 |
| Erica ciliaris | .35 |
| Erica tetralix | .50 |
| Genista dalmatica | .75 |
| Genista saggitalis | .50 |
| Globularia nana | .35 |
| Hedera helix conglomerata | .35 |
| Ilex crenata | .50 |
| Iasminum parkeri | 2.00 |
| Jasminum parkeri Juniperus japonica aurea | .75 |
| Pinus mugho | .75 |
| Polygonum vaccinifolium | .50 |
| Rhododendron chryseum, 2 yr. | 1.00 |
| | 50 |
| Rhododendron ferrugineum | .50 |
| Rhododendron impeditum | 2.25 |
| Rhododendron neriflorum, 2 yr. | 1.50 |
| Rhododendron neriiflorum, 2 yr. 1 Rhododendron racemosum .75—1 Rhododendron virgatum 1.50—2 | 1.50 |
| Rhododendron virgatum 1.50—2 | 2.50 |
| Rosa gloria mundi | .50 .50 |
| Rosa polyanthus nana multiflora | .50 |
| Rosa rouletti | .50 .75 |
| Spiraea bullata | .75 |
| Thymus azoricus | .25 |
| Vaccinium vitis-idaca | .50 |
| Veronica gutheriana | .40 |
| Veronica hulkeana | .60 |
| | |
| | |
| Native Alpine Plants and Shru | bs |
| 7 | |
| Anemone drummondi | .35 |
| Anemone pulsatilla | .35 |
| Boykinia jamesi | .35 |
| Caltha leptosepala | .35 |
| Ceanothus prostratus, in pots | .50 |
| Coptis asplenifolia | .50 |
| Coptis occidentalis | .35 |
| Copus occidentalis | |

| Cypripedium californicum | .75 |
|-------------------------------|------------|
| Cypripedium montanum | .50 |
| Delphinium nudicaule | .35 |
| Douglasia laevigata | .50 |
| Draba nova-olympica | .75 |
| Dryas drummondi | .35 |
| Dryas octopetala | .35 |
| Galax aphylla | .50 |
| Gaultheria ovatifolia | .60 |
| Gaultheria procumbens | .50 |
| Gormania watsoni | .25 |
| Hepatica tribola | .50 |
| Houstonia coerulea | .25 |
| | .25 |
| Houstonia serpyllifolia | .50 |
| Hydastylus borealis | .40 |
| Hypericum scouleri | .35 |
| Iris cristata | |
| Iris tenax | .35 |
| Iris verna | .35 |
| Jeffersonia diphylla | .50 |
| Juniperus sibirica nana | .75 |
| Juniperus horizontalis .75— | |
| | .1.25 |
| Lewisia columbiana rosea | .30 |
| Lewisia tweedyi | .75 |
| Lupinus lyalli | .50 |
| Lutkea pectinata | .35 |
| Mimulus lewisi | .35 |
| Mimulus primuloides | .50 |
| Pentstemon barrettae .35- | 75 |
| Pentstemon diffusus | .35 |
| Pentstemon menziesi | .50 |
| Pentstemon menziesi davidsoni | .35 |
| Pentstemon pubescens | .35 |
| Pentstemon rattani-minor | .25 |
| Pentstemon rupicola | .50 |
| Phlox divaricata | .25 |
| Phlox verna | .25 |
| Polemonium elegans | .25 |
| Polemonium carneum | .50 |
| Potentilla tridentata | .25 |
| Primula parryi | .50 |
| Rhodiola rosea | .20 |
| Romanzoffia sitchensis | .50 |
| Romanzoffia unalaschensis | .50 |
| Saxifraga adscendens | .50 |
| Shortia galacifolia | .50 |
| Silene acaulis | .35 |
| Sisyrinchium, blue | .25 |
| Sisyrinchium grandiflorum | .35 |
| objethenum granumorum | .55 |

| Sisyrinchium inflatum | .50 |
|-----------------------------|------|
| Sisyrinchium inflatum album | .75 |
| Spiraea caespitosa | 1.00 |
| Spiraea hendersoni | 1.00 |
| Stylophorum diphyllum | .35 |
| Vancouveria hexandra | .25 |
| Viola bellidifolia | .40 |
| Viola cucullata | .30 |
| Viola pedata | .35 |
| Viola pedata bicolor | .40 |
| Viola primulifolia | .40 |
| | |

Native Rock Ferns

| Asplenium platyneuron | .50 |
|-------------------------------|-----|
| Asplenium trichomanes | .35 |
| Botrychium silaifolium | .50 |
| Cheilanthes gracillima | .50 |
| Cryptogramma acrostichoides | .35 |
| Pellaea brachyptera | .75 |
| Pellaea bridgesi | .75 |
| Pellaea densa | .35 |
| Phegopteris phegopteris | .50 |
| Polystichum viviparum (India) | .50 |

Postage or express on plants is charged to the purchaser.

JULIUS ANTHON 2215 East 46th Street Seattle, Washington U. S. A. Phone Kenwood 4939